



Visvesvaraya Technological University
"Jnana Sangama", Belagavi-590 018, Karnataka State

Phone: (0831) 2498100
Fax: (0831) 2405467

Registrar

Ref. VTU/ACA-LIC/2019-20/SO/ 3181/85

Date: _____

6 AUG 2019

NOTIFICATION

Sub: Grant of Recognition / Continuation (Extension) of Research Centers to offer Ph.D/M.Sc. (Engg.) by research reg...
Ref: Executive Council Resolution No. 2.3.6 , dated 30-05-2019

Pursuant to the Resolution of Executive Council referred to the above, it is hereby notified that the following Departments are Recognized as Research Centre/s to offer Ph. D / M.Sc. (Engg) by Research programs under section (41) of the VTU Act 1994, in accordance with the Regulations and Guidelines in force (visit our VTU website www.vtu.ac.in for Regulations & Guidelines). The College / Institution may apply for the continuation of recognition against the University Notification after completion of Recognition period of the Research Centre/s.

Name of the college: NAGARJUNA COLLEGE OF ENGINEERING & TECHNOLOGY

Type of Recognition	Departments	Recognition	Period of the Recognition
Continuation Research Center	Chemistry	Recommended	2019-20 and 2020-21
Continuation Research Center	Management Studies	Recommended	2019-20 and 2020-21
Continuation Research Center	Computer Science & Engineering	Recommended	2019-20 and 2020-21
Continuation Research Center	Physics	Recommended	2019-20 and 2020-21


5.8.2019
REGISTRAR
VTU, Belagavi


To,
The Principal,
NAGARJUNA COLLEGE OF ENGINEERING & TECHNOLOGY

Please Note: Though the Notification is issued for 1 academic year (Fresh) & 2 academic years (Continuation), the college has to pay the continuation fee of Rs. 5,000/- per department annually.

Copy to:

1. The Secretary to VC, VTU, Belagavi for kind information.
2. The Registrar (Evaluation), VTU, Belagavi for kind information.
3. The Regional Director (I/c) of all Regional offices of VTU for kind information.
4. The Special Officer of Ph. D. Section, VTU, Belagavi.



HOD (Chem) / MBA / CSE / PHY / OFF:4

27.8.19